

Vendor: IBM

Exam Code:000-252

Exam Name:IBM Websphere apervr v6 netwrk deployment.core admin

Version: Demo

QUESTION 1

A system administrator was asked to develop necessary artifacts to install WebSphere Application Server V6 Network Deployment Package, create custom profile and federate to the existing deployment manager. Silent installation scripts (response files) must be used.

What is the BEST approach to accomplish this task without using UI based tools?

- A. Create a response file that installs product binaries, create the custom profile and federates the node.
- B. Create two response files. The first one installs product binaries and calls the second response file that create the custom profile and federates the node.
- C. Create a response file that installs product binaries, use profile creation wizard to create the custom profile and federate the node from the deployment manager\\'s administrative console.
- D. Install product binaries using installation wizard and create a response file to create the custom profile and federate the node.

Correct Answer: B

QUESTION 2

User requests are directed to the web container using the web container inbound transport chain. The chain consists of all of the following EXCEPT for:

- A. An HTTP INBOUND CHANNEL THAT SERVERS http 1.0 and 1.1 requests.
- B. A TCP inbound channel that provides the connection to the network.
- C. A Web Service inbound channel that provides the connection to the Web Services Gateway.
- D. A Web container channel over which requests for servlets and JSPs are sent to the Web container for processing

Correct Answer: C

QUESTION 3

A system administrator is asked to write a PERL script to output only those error messages in System Out log that refer to some sort of error or warning. Which event types should the system administrator include?

A. F,E,W

B. F,E,W,D

C. F,E,W,A

D. F,E,W,H

Correct Answer: A

QUESTION 4

A secured network is being set up between an external Web server and the application server\\'s embedded web server. Given that mutual SSL authentication is a required part of the process, which of the following configuration steps needs to be selected?

- A. SERVER AUTHENTICATION ONLY
- B. Both Server and Client authentication
- C. Cluster authentication
- D. Client authentication only

Correct Answer: D

QUESTION 5

The WebSphere Rapid Deployment(WRD) tool is running in the automatic allocation mode. All of the following enterprise applications will be deployed if the file types are placed below in WRD\\'s monitored directory EXCEPT.

- A. An Enterprise Archive (EAR) file.
- B. A Web module (WAR) file.
- C. An EJB module JAR file.
- D. A Resource Adapter Archive (RAR) file.

Correct Answer: D

QUESTION 6

When the HTTP plug-in configuration file is regenerated either manually or automatically the file must be propagated to the Web servers. If a system administrator needs to configure automatic propagation of the plugin-cfg.xml file for an Apache HTTP server, which of the following tasks must be performed?

- A. Enable session management for the HTTP server
- B. Configure the HTTP server on a managed node.

- C. Automatic propagation is not supported, the plugin-cfg.xml file must be transferred manually
- D. Set the automatic propagation flag in the pluin-cfg.xml file.

Correct Answer: B

QUESTION 7

When using the administrative console to configure logging on a particular server, the Diagnostic Trace Service can be configured to write messaging to log files in one of three formats. Which of the following are the supported formats?

- A. Basic, CBE, JRas
- B. Basic, Advanced
- C. Basic, Intermediate, Advanced
- D. Basic, Advanced, Lo Analyzer

Correct Answer: D

QUESTION 8

Which of the following changes to an application server\\'s configuration will cause the HTTP plug-in configuration file to be regenerated?

- A. The Web CONTAINE\\'S CLASS-LOADER POLICY HAS BEEN MODIFIED
- B. An application\\'s class-loder policy has been modified
- C. A new application has been installed on the server
- D. The server\\'s PMI monitoring level has been modified.

Correct Answer: C

QUESTION 9

A system administrator is about to federate a node into a Network Deployment cell. The node\\'s server has several applications installed and a Service integration Bus is defined on the node. Before federating the node, the system administrator must understand that the default behavior of the addNode operation is:

- A. To not carry over applications to the cell.
- B. To not carry over Service Integration Buses to the cell.
- C. To not carry over applications and Service Integration Buses to the cell.

D. To carry over applications and Service Integration buses to the cell.

Correct Answer: C

QUESTION 10

Which of the following lists contains all of the class loader settins that can be configured at the application server level?

- A. Single, Multiple, Parent First, Parent Last
- B. Single, Application, Parent First, Parent Last
- C. Module, Application, Parent First, Parent Last
- D. Enable class reloading, Realod Interval, Parent First, Parent Last

Correct Answer: A

QUESTION 11

Sometimes it is required to force an application to create a thread dump (or javacore). Which of the following processes would be used to force a thread dump?

A. Using the wsadmin command prompt, get a handle to the problem application server.

wsadmin>setjvm[\$AdminControl completeObjectName type=JVM,process=server1.*]

wsadmin>\$AdminControl invoke\$jvm dumpAllThreads

Look for an output file in the installation root directory with a name like

javacore.date.time.id.txt.

B. Using the wsadmin command prompt, geta handle to the problem application server.

wsadmin>set jvm[\$AdminControl completeObjectName

type=JVM,process=server1,*]

Generate the thread dump:

wsadmin>\$AdminControl invoke \$jvm dumpAppServerThreads

Look for an output file in the installation root directory with a name like javacore.date.time.id.txt.

C. Using the wsadmin command prompt, geta handle to the problem application server.

wsadmin>set jvm[\$AdminControl completeObjectName

type=JVM,process=server1,*]

Generate the thread dump:

wsadmin>\$AdminControl invoke \$jvm dumpJVMThreads

Look for an output file in the installation root directory with a name like javacore.date.time.id.txt.

D. Using the wsadmin command prompt, geta handle to the problem application server.

wsadmin>set jvm[\$AdminControl completeObjectName

type=JVM,process=server1,*]

Generate the thread dump:

wsadmin>\$AdminControl invoke \$jvm dumpThreads

Look for an output file in the installation root directory with a name like javacore.date.time.id.txt.

Correct Answer: D

QUESTION 12

An internet client is requesting a servlet from their web browser. Assuming that all internet client requests are first routed to an IP sprayer, which of the following components would typically be involved in the flow of the request from client to servlet?

- A. JMS server, LDAP server, and EJB container
- B. External HTTP server, HTTP server Plug-in, and web container
- C. Embedded HTTP server, web container, and EJB container
- D. Embedded HTTP server, JMS server, and authentication proxy server

Correct Answer: B

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.