

Vendor:Lpi

Exam Code:102-350

Exam Name:LPI Level 1 Exam 102, Junior Level Linux

Certification, Part 2 of 2

Version: Demo

QUESTION 1

Which command will set the local machine\\'s timezone to UTC?

A. cat UTC > /etc/timezone

B. In -s /usr/share/zoneinfo/UTC /etc/localtime

C. date --timezone=UTC

D. mv /usr/timezone/UTC /etc

Correct Answer: B

QUESTION 2

How is the file format of /etc/crontab different from a normal crontab file? (Select TWO correct answers)

A. The /etc/crontab file can specify a year field.

B. A normal crontab file must be installed with the crontab command.

C. A normal crontab file allows for environment variable substitution.

D. The /etc/crontab file has a user field for commands.

Correct Answer: BD

QUESTION 3

By default, the contents of which directory will be copied to a new user\\'s home directory when the account is created by passing the -m option to the useradd command? (Please provide the full path)

Correct Answer: /etc/skel

/etc/skel or /etc/skel/

QUESTION 4

Which option, when passed to the gpg command, will enter an interactive menu enabling the user to perform key management related tasks? (Provide only the option)

Correct Answer: edit-key

edit-key, --edit-key

QUESTION 5

Which command will print the exit value of the previous command to the screen in bash?
A. echo \$?
B. echo \$#
C. echo \$exit
D. echo \$status
E. echo \$and
Correct Answer: A

QUESTION 6

After configuring printing on a Linux server, the administrator sends a test file to one of the printers and it fails to print. What command can be used to print the status of the printer\\'s queue? (Provide only the command, without any options or parameters)

Correct Answer: /usr/bin/lpq

lpq or /usr/bin/lpq

QUESTION 7

What output will the following command produce? seq 1 5 20

A. 161116

B. 151015

C. 1234

D. 2345

E. 5 10 15 20

Correct Answer: A

QUESTION 8

The correct crontab entry to execute the script chklog three times per month between 3 p.m. and 5 p.m.:

A. * 3,4,5 1 * * chklog

B. 3 3,4,5 1 * * chklog

C. 3 15,16,17 * * * chklog

D. 0 15,16,17 1 * * chklog E. * 15,16,17 1 * * chklog Correct Answer: D **QUESTION 9** To test a shell script called myscript, the environment variable FOOBAR must be removed temporarily. How can this be done? A. unset -v FOOBAR B. set -a FOOBAR="" C. env -u FOOBAR myscript D. env -i FOOBAR myscript Correct Answer: C **QUESTION 10** What command will display the group names and GIDs to which a user belongs? (Provide only the command name with or without path information) Correct Answer: /usr/bin/id id or /usr/bin/id **QUESTION 11** Which of the following commands is used on the command line to send messages to the syslog systems? A. lastlog B. klog

C. logger

D. slog

E. syslog

Correct Answer: C

QUESTION 12

Which statement is true regarding the following /etc/resolv.conf file?

search example.com nameserver 208.77.188.166 nameserver 208.77.188.167

- A. There is a syntax error.
- B. If DNS queries to the localhost fail, the server 208.77.188.166 will be queried.
- C. example.com will be appended to all host lookups.
- D. example.com will be appended to host names when they do not contain dots.
- E. The DNS server with the shortest ping time will be queried first. If the lookup fails, the second server will be queried.

Correct Answer: D

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.