

**100%** Money Back  
**Guarantee**

**Vendor:**Oracle

**Exam Code:**1Z0-479

**Exam Name:**Oracle Access Management Suite Plus  
11g Essentials

**Version:**Demo

**QUESTION 1**

Identity functions that Oracle Adaptive Access Manager provides.

- A. risk-based access control
- B. secure credential collection
- C. offline and online risk analytics
- D. username and password validation
- E. single sign-on
- F. user provisioning

Correct Answer: ABE

---

**QUESTION 2**

Identify two services offered by the Oracle Access Management Suite Plus 11g.

- A. web-perimetersecurity functions
- B. Identity Context
- C. Identity Provisioning
- D. Privileged Accounts Management
- E. Entitlement Certification

Correct Answer: BE

---

**QUESTION 3**

At what checkpoint would you create a challenge policy for Knowledge-Based Authentication for online user authentication?

- A. Pre-authentication
- B. AuthentiPad
- C. Post-Authentication
- D. Device Identification

Correct Answer: A

---

#### QUESTION 4

Identify two registration artifacts that are created when an 11g WebGate is registered using the Oracle Access Management console.

- A. osso.conf
- B. oaam\_cli.properties
- C. OAMRequest\_short.xml
- D. ObAccessClient.xml
- E. cwallet.sso

Correct Answer: DE

---

#### QUESTION 5

What are the three main roles that can be adopted by Oracle Access Management and Oracle Fusion Middleware components when using the Identity Context?

- A. Publisher
- B. Consumer
- C. Propagator
- D. Generator
- E. Evaluator
- F. Authorizer

Correct Answer: ACE

---

#### QUESTION 6

Which service does the Session Management Engine (SME) use internally to provide a high performance, distributed caching system, and to enable the monitoring and management of user sessions in real time?

- A. Oracle ADF
- B. Oracle Coherence
- C. WebGates
- D. Oracle Adaptive Access Manager

Correct Answer: B

---

### QUESTION 7

Which component acts as the certified WS-Trust client that can be used to communicate with Security Token Service?

- A. Token Consumer
- B. Token Administrator
- C. OWSM Agent
- D. OPSS Security Keystore
- E. User Name Token (UTN)
- F. WS Policy

Correct Answer: C

---

### QUESTION 8

View the Exhibits. Exhibit 1





Exhibit 2



You have created a set of hierarchical resources in Oracle Entitlements Server and an associated set of authorization policies as shown in the Exhibits. You execute a newQueryPepRequest in order to evaluate exactly which resources the weblogic user has access to.

Which three hierarchical resources can user access? (Choose three.)

- A. /Hier1
- B. /Hier1/a
- C. /Hier1/b
- D. /Hier1/a/i
- E. /Hier1/b/i

Correct Answer: ABD

### QUESTION 9

Identify three uses of the Knowledge-Based Authentication functionality provided by Oracle Adaptive Access Manager.

- A. first authentication for forgot password
- B. second factor authentication for change password
- C. offline SMS PIN-based authentication

- D. high risk user authentication
- E. user authorization

Correct Answer: ABC

---

#### **QUESTION 10**

Which are the four valid token types that Oracle Mobile and Social can return to a mobile client on authentication?

- A. SAML Token
- B. User Token
- C. SecurID Token
- D. Access Token
- E. Client Registration Handle
- F. Client Token
- G. LTPA Token

Correct Answer: BCEF

---

#### **QUESTION 11**

In a Security Token Service deployment for Identity Propagation with the Access Manager token, which component must be registered with Oracle Access Manager 11g to create a communication channel?

- A. WS-Trust Validation Template
- B. WebGate
- C. Oracle Adaptive Access Manager
- D. Oracle Identity Federation
- E. Request Security Token (RST)

Correct Answer: B

---

#### **QUESTION 12**

What is the purpose of the extractMovePlan Script when moving an Oracle Access Management environment from to production?

- A. It extracts configuration information from the achieve created on the source environment into XML files, which can be edited for the destination environment.

- B. It extracts the binary files from the archive created on the source environment into the destination environment.
- C. It extracts the configuration files from the archive created on the source environment into the destination environment.
- D. It extracts the distribution at a mount point.

Correct Answer: C