Vendor: Symantec

Exam Code:250-253

Exam Name: Administration of Veritas Cluster Server 6.0 for Unix

Version: Demo

QUESTION 1

Where on the Endpoint Server Detail page can a system administrator configure the throttling option?

A. Agent Listener section

B. Agent Monitoring section

C. Agent Configuration section

D. Agent Filtering section

Correct Answer: C

QUESTION 2

An administrator adds a new user within a cluster that is running in a non-secure mode. In which file will the user name be stored?

A. /etc/VRTSvcs/conf/config/secure.cf

B. /etc/VRTSvcs/conf/config/main.cf

C. /etc/VRTSvcs/conf/config/types.cf

D. /opt/VRTSvcs/conf/config/users.cf

Correct Answer: B

QUESTION 3

In a two node Veritas cluster, all Ethernet heartbeats failed simultaneously. I/O fencing and link- lowpri heartbeat are yet to be configured.

What is the resulting condition of this problem?

A. Split-cluster

B. Jeopardy

C. Split-brain

D. Panic

Correct Answer: C

QUESTION 4

There is a two-node Veritas cluster with two independent heartbeat connections, and fencing is disabled. What happens

when one of the heartbeat connections is lost?

A. The cluster will disable service group failover on system fault.

B. The cluster will be fully functional, but will be unsupported.

C. The cluster will automatically configure a low-pri heartbeat over the public net.

D. The cluster will take all service groups offline until both heartbeats are restored.

Correct Answer: A

QUESTION 5

In which two cases will the agent status remain green (good) on the Agent Events page? (Select two.)

A. The agent closed the connection to the Endpoint Server.

B. The Endpoint Server detected that the connection with the agent was lost.

C. There was agent or server authentication failure.

D. The agent is unable to restore a database file.

E. There was an agent service shutdown during machine shutdown.

Correct Answer: AE

QUESTION 6

What is the impact to unsaved configuration changes in Veritas Cluster Server when an administrator stops the cluster with a force option from the command-line interface?

A. Changes are prompted to be saved.

B. Changes are prompted to be discarded.

C. Changes are automatically saved.

D. Changes are automatically discarded.

Correct Answer: D

QUESTION 7

Refer to the following service group example:

group websg (

SystemList = { sym1 = 0, sym2 = 1 }

```
AutoStart = 0

AutoStartList = { sym2 }

)

DiskGroup webdg (

DiskGroup = webdg

)

IP webip (

Device = eth0

Address = "169.254.128.12"

NetMask = "255.255.255.0"

)

Mount webmnt (

MountPoint = "/web1"

BlockDevice = "/dev/vx/dsk/webdg/webvol"

FSType = vxfs

MountOpt = rw

FsckOpt = "-y"

)

NIC webnic (

Device = eth0

)

Application webproc (

MonitorProgram = "/usr/local/bin/web -monitor"

StartProgram = "/usr/local/bin/web -start"

StopProgram = "/usr/local/bin/web -stop"

)

webip requires webproc

webproc requires webmnt

webip requires webnic
```

webmnt requires webdg

Which resource will start online last?

A. webip

B. webmnt

C. webproc

D. webdg

Correct Answer: A

QUESTION 8

Two clusters are both running the same operating system and version of Veritas Cluster Server. A service group in one cluster depends on a service group in the other cluster.

Which method can be used to manage the service group relationship?

A. CrossCluster trigger

B. RemoteGroup agent

C. RemoteCluster agent

D. RemoteGroup trigger

Correct Answer: B

QUESTION 9

Which database does Symantec Data Loss Prevention 9.0 support for incident and policy storage?

A. Oracle 10g version 10.2.0.4

B. any version of Oracle 10g

C. Oracle 10g version 10.2.0.1

D. Microsoft SQL Server

Correct Answer: A

QUESTION 10

What is the recommended deployment location for Network Monitor?

A. Inside the secured corporate LAN

B. Within the demilitarized zone (DMZ)

C. In its own isolated virtual LAN (VLAN)

D. On the WAN side of the corporate router

Correct Answer: B

QUESTION 11

By default, which port does the Enforce Server use to connect to all detection servers?

A. 443

B. 1293

C. 8000

D. 8100

Correct Answer: D

QUESTION 12

Which resource type can be used to mirror the state of another persistent resource?

A. Phantom

B. Proxy

C. Mirror

D. RemoteGroup

Correct Answer: B