

100% Money Back
Guarantee

Vendor:Cisco

Exam Code:642-241

Exam Name:Unified Contact Center Enterprise
Design (UCCED)

Version:Demo

QUESTION 1

The Cisco Unified IP IVR and Intelligent Contact Management components of the Cisco Unified Contact Center Enterprise solution cannot perform which function?

- A. reporting with Cisco Unified Intelligence Center
- B. providing CTI desktop functionality for agent state control
- C. providing call-routing functionality based on real-time conditions
- D. instructing queue points to play specific messages to callers
- E. providing conference bridge for agent and supervisor calls

Correct Answer: E

QUESTION 2

A Cisco Unified Contact Center Enterprise solution is designed with geographic redundancy for the central controllers (with separate call routers and loggers). If Call Router Side A has device majority and its Ethernet private network NIC fails, which two events will occur? (Choose two.)

- A. The Call Router Side B will stay active, while the Call Router Side A will go idle.
- B. The Call Router Side A will stay active, while Call Router Side B will go idle.
- C. There is no ability to make configuration changes nor write any historical data to Logger A from Call Router A.
- D. Both sides will go active.
- E. The system will operate as it did prior to failure.

Correct Answer: BC

QUESTION 3

What role does Cisco Unified Communications Manager play in the Cisco Unified Contact Center Enterprise solution?

- A. automatic call distribution
- B. integrated call distribution
- C. interactive voice response system
- D. call switching to agent and Cisco Unified IP IVR

Correct Answer: D

QUESTION 4

What are the two primary factors affecting bandwidth sizing between a Cisco Unified Intelligence Center (CUIC) Server and a CUIC client? (Choose two.)

- A. number of historical reports the user is running concurrently
- B. number of concurrent agents displayed on real-time reports
- C. number of rows returned for historical reports in CUIC
- D. number of real-time reports the user is running concurrently
- E. total ECC in bytes

Correct Answer: AD

QUESTION 5

Which Cisco Unified ICM Administrative Server type does not require Microsoft SQL Server to be installed on the physical server?

- A. Administrative Server with Real Time Data
- B. Administration Client
- C. Historical Data Server with Detail Data Server
- D. Administrative Server with Historical Data Server
- E. Configuration Only Administrative Server

Correct Answer: B

QUESTION 6

When a Cisco Unified Contact Center Enterprise agent transfers a call to another agent on a different Cisco Unified Communications Manager cluster, what is the impact if the agent dials the phone number of the second agent directly to perform the transfer?

- A. The second agent will not get screen pop data about the call.
- B. The second agent will not be able to perform a secondary transfer of the call.
- C. The caller will not hear queue music during the transfer.
- D. The different call leg records will be linked in the Cisco Unified Contact Center Enterprise database Termination Call Detail Variable Table.

Correct Answer: A

QUESTION 7

Which of these statements must be true to provide silent monitoring for Cisco Unified Contact Center Enterprise 8.0(x) mobile agents?

- A. A mobile agent PC must be connected to the local phone at the agent location.
- B. The inbound call and the mobile agent remote call leg must not be placed using the same voice gateway.
- C. The local CTI port must have MOH enabled in Cisco Unified Communications Manager.
- D. The agent must be configured as "nailed up" and not "call-by-call."
- E. The supervisor must be configured as both an agent and a mobile agent.

Correct Answer: B

QUESTION 8

Which tool is used in Cisco Unified ICM to develop call flows for the Cisco Unified Contact Center Enterprise solution?

- A. Router Log Viewer
- B. Call Tracer
- C. Script Editor
- D. Config Manager
- E. Applications Editor

Correct Answer: C

QUESTION 9

Which two of these are not parts of the Cisco Unified Communications Manager Release 6.1(1) device pool configuration? (Choose two.)

- A. primary Cisco Unified Communications Manager group
- B. SRST reference
- C. region
- D. SIP trunk
- E. Media Resource Group List

Correct Answer: AD

QUESTION 10

When deploying the Cisco Unified Contact Center Enterprise on Cisco Unified Computing System B- Series hardware, which two statements are true? (Choose two.)

- A. Oversubscription of virtual CPU or memory is not supported.
- B. Cisco Unified Contact Center Enterprise clustering over the WAN is not supported in the Cisco Unified Computing System B-Series.
- C. Cisco Unified Computing System B-Series supports both VMware ESX and ESXi virtualization software.
- D. VMware images must boot from the SAN and store all data on the SAN.

Correct Answer: AD

QUESTION 11

All of these statements about high availability with a Cisco Unified Intelligent Contact Management (ICM) central controller are true except which one?

- A. In the event that one call router of a duplex pair of Cisco Unified ICM call router fails, the surviving call router recognizes the failure when it receives no response to heartbeats over the private LAN.
- B. During Cisco Unified ICM call router failover processing, calls in progress in Cisco Unified IP IVR will be disconnected, but all new calls will be successfully processed.
- C. There is no impact on call processing during a Cisco Unified ICM Logger failure.
- D. In the event that the private LAN fails, the peripheral gateways are used to help determine the active call router side of the duplex pair.

Correct Answer: B

QUESTION 12

In a Cisco Unified Contact Center Enterprise deployment with geographically redundant central controllers, a new site is added with two new Admin Workstations as the only AWs at the site. What is the recommended configuration (AW type) for these two machines?

- A. 1 - Primary Distributor AW, 1 - Secondary Distributor AW
- B. 1 - Primary Distributor AW, 1 - Client AW
- C. 1 - Secondary Distributor AW, 1 - Client AW
- D. 2 - Client AWs
- E. 2 - Secondary Distributor AWs
- F. 1 - Primary Client AW, 1 - Secondary Client AW

Correct Answer: A

