Exam : 642-992

Title : Data Center Unified Fabric Solutions Implementation (DCUFI)

Version : DEMO

1. How many paths can be considered in NX-OS for equal-cost multipathing?

A. 4

B. 8

C. 12

D. 16

Answer: D

2.In the Cisco Nexus 7010 architecture, In-Service Software Upgrades are enabled by which of the following components or features?

- A. kickstart image
- B. rapid switchover
- C. automated configuration
- D. plug-in based services and features

Answer: D

3.Which three of these statements are true about the M1 32-port, 10-Gb Ethernet Module in shared mode on a Cisco Nexus 7010 Switch with two fabric modules? (Choose three.)

- A. 21 ports are disabled.
- B. All 32 ports can be used.
- C. Total bandwidth capacity is 92 Gb/s.
- D. N+1 redundancy cannot be accomplished.
- E. 230 Gb/s bandwidth is available to the fabric.

Answer: B,C,D

4.Which component of the Cisco Nexus 7018 architecture provides out-of-band management, an always-on microprocessor for disaster recovery, and remote restart capabilities?

A. Fabric Module

- B. control plane with auxiliary port
- C. dedicated supervisor engine
- D. Connectivity Management Processor

Answer: D

5. Which two enhanced Ethernet features are required for FCoE? (Choose two.)

- A. multicast multipathing
- B. enhanced transmission selection
- C. priority flow control
- D. congestion notification
- E. virtual interface group

Answer: B,C

6.Which three benefits does the N_Port Virtualization Cisco Nexus OS feature provide? (Choose three.)

- A. simplifies management
- B. assigns a unique Fibre Channel domain ID to the switch
- C. provides access to Fibre Channel and FCoE-connected servers
- D. extends the number of Fibre Channel domains from 256 to 512
- E. increases scalability by not requiring a Fibre Channel domain ID

Answer: A,C,E

7.On a Cisco NX-OS switch, what is the role of the kickstart image?

- A. provide kernel services
- B. provide driver services
- C. provide control plane services
- D. provide access services

Answer: A

8.Which statement about the management interface in the Cisco Nexus 7000 architecture is true?

- A. One mgmt0 interface is accessible from any VDC.
- B. Multiple mgmt0 interfaces exist, one per management VRF.
- C. Multiple mgmt0 interfaces exist, one per management VDC.
- D. The mgmt0 interface exists in the default VRF until it is assigned to another VRF.

Answer: A

9.VACLs support which two actions? (Choose two.)

A. log

- B. block
- C. inspect
- D. forward
- E. redirect

Answer: D,E

10.Which command enables uRPF in strict mode in the latest Cisco IOS release?

- A. ip verify unicast reverse-path
- B. ip verify unicast source reachable-via rx

- C. ip verify unicast source reachable-via any
- D. ip verify unicast any reachable-via strict

Answer: B

Trying our product !

- ★ 100% Guaranteed Success
- ★ 100% Money Back Guarantee
- ★ 365 Days Free Update
- ★ Instant Download After Purchase
- ★ 24x7 Customer Support
- ★ Average 99.9% Success Rate
- ★ More than 69,000 Satisfied Customers Worldwide
- ★ Multi-Platform capabilities Windows, Mac, Android, iPhone, iPod, iPad, Kindle

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





One Year Free Update Free update is available within One ter your purchase. After One ar, you will get 50% discounts for ng. And we are proud to ast a 24/7 efficient Customer t system via Emai

Money Back Guarantee To ensure that you are spending on

quality products, we provide 100% money back guarantee for 30 days from the date of purchase

Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & pea of mind.

Guarantee & Policy | Privacy & Policy | Terms & Conditions

100%

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.