

**100%** Money Back  
**Guarantee**

**Vendor:**AAPC

**Exam Code:**AAPC-CPC

**Exam Name:**Certified Professional Coder (CPC)Exam

**Version:**Demo

### QUESTION 1

The procedure is performed at an outpatient radiology department. From a left femoral access, the catheter is placed in the abdominal aorta and is then selectively placed in the celiac trunk and manipulated up into the common hepatic artery for an abdominal angiography. Dye is injected, and imaging is obtained. The provider performs the supervision and interpretation.

What CPT codes are reported?

- A. 36246, 75716-26
- B. 36246, 75726-26
- C. 36246, 75635-26
- D. 36246, 75741-26

Correct Answer: B

---

### QUESTION 2

View MR 004397 MR 004397 Operative Report Preoperative Diagnosis: Calculi of the gallbladder Postoperative Diagnosis: Calculi of the gallbladder, chronic cholecystitis Procedure: Cholecystectomy Indications: The patient is a 50-year-old woman who has a history of RUQ pain, which ultrasound revealed to be multiple gallstones. She presents for removal of her gallbladder. Procedure: The patient was brought to the OR and prepped and draped in a normal sterile fashion. After adequate general endotracheal anesthesia was obtained, a trocar was placed and CO<sub>2</sub> was insufflated into the abdomen until an

adequate pneumoperitoneum was achieved. A laparoscope was placed at the umbilicus and the gallbladder and liver bed were visualized. The gallbladder was enlarged and thickened, and there was evidence of chronic inflammatory changes. Two additional ports were placed and graspers were used to free the gallbladder from the liver bed with a combination of sharp dissection and electrocautery. Cystic artery and duct are clipped. Dye is injected in the gallbladder. Cholangiography revealed no intraluminal defect or obstruction. Gallbladder is dissected from the liver bed. The scope and trocars are removed.

What CPT coding is reported for this case?

- A. 47562, 74300-26
- B. 47563, 74300-26
- C. 47605, 74300-26
- D. 47600, 74300-26

Correct Answer: B

---

### QUESTION 3

Patient has esotropia of the right eye and presents to operating suite for strabismus surgery. The physician resects the medial rectus horizontal and lateral rectus muscles of the eye and secures them with adjustable sutures. Extensive scar

tissue is noted, due to a previous surgery involving an extraocular muscle. Extraocular muscle is isolated, and the muscle is freed from surrounding scar tissues.

What CPT codes are reported for this surgery?

- A. 67314, 67334
- B. 67316, 67335
- C. 67312, 67335
- D. 67311, 67334

Correct Answer: C

---

#### QUESTION 4

An elderly patient comes into the emergency department (ED) with shortness of breath. An ECG is performed. The final diagnosis at discharge is impending myocardial infarction.

According to ICD-10-CM guidelines, how is this reported?

- A. I20.0
- B. R06.02
- C. I20.0, R06.02
- D. I21.3, R06.02

Correct Answer: B

---

#### QUESTION 5

Dr. Burns sees newborn baby James at the birthing center on the same day after the cesarean delivery. Dr. Burns examined baby James, the maternal and newborn history, ordered appropriate blood test tests and hearing screening. He met with the family at the end of the exam.

How would Dr. Burns report his services?

- A. 99463
- B. 99460
- C. 99461
- D. 99462

Correct Answer: B

---

#### QUESTION 6

A patient is diagnosed with diabetic polyneuropathy.

Using ICD-10-CM coding guidelines, what ICD-10-CM coding is reported?

- A. E10.42
- B. E11.9, G62.9
- C. E10.9, G62.9
- D. E11.42

Correct Answer: D

---

### QUESTION 7

The surgeon performs Roux-en-Y anastomosis of the extrahepatic biliary duct to the gastrointestinal tract on a 45-year-old patient.

What CPT?code is reported?

- A. 47785
- B. 47780
- C. 47740
- D. 47760

Correct Answer: B

---

### QUESTION 8

A 55-year-old patient with suspected liver cancer was seen by the physician to obtain a biopsy. The special biopsy needle was placed using ultrasonic guidance. The physician obtained a small tissue sample from the liver, which was then sent to pathology.

What CPT?codes are reported?

- A. 47000, 77002-26
- B. 47000, 10005
- C. 47100, 77012-26
- D. 47000, 76942-26

Correct Answer: D

---

### QUESTION 9

The human shoulder is made of which three bones?

- A. Olecranon, radius, ulna
- B. Carpal, radius, humerus
- C. Metatarsal, tibia, navicular
- D. Clavicle, scapula, humerus

Correct Answer: D

---

### QUESTION 10

View MR 099401

MR 099401

Established Patient Office Visit

Chief Complaint: Patient presents with bilateral thyroid nodules.

History of present illness: A 54-year-old patient is here for evaluation of bilateral thyroid nodules. Thyroid ultrasound was done last week which showed multiple thyroid masses likely due to multinodular goiter. Patient stated that she can "feel"

the nodules on the left side of her thyroid. Patient denies difficulty swallowing and she denies unexplained weight loss or gain. Patient does have a family history of thyroid cancer in her maternal grandmother. She gives no other problems at this time other than a palpable right-sided thyroid mass.

Review of Systems:

Constitutional: Negative for chills, fever, and unexpected weight change.

HENT: Negative for hearing loss, trouble swallowing and voice change.

Gastrointestinal: Negative for abdominal distention, abdominal pain, anal bleeding, blood in stool, constipation, diarrhea, nausea, rectal pain, and vomiting

Endocrine: Negative for cold Intolerance and heat intolerance.

Physical Exam:

Vitals: BP: 140/72, Pulse: 96, Resp: 16, Temp: 97.6

Correct Answer: A

---

### QUESTION 11

A patient with three thyroid nodules is seen for an FNA biopsy. Using ultrasonic guidance, the provider inserts a 25-gauge needle into each nodule. Nodular tissue is aspirated and sent to pathology. What CPT?coding reported?

- A. 10005, 10006 x 2, 76942
- B. 10006 x 3
- C. 10005, 10006 x 2
- D. 10021, 10004 x 2, 76942

Correct Answer: C

---

#### **QUESTION 12**

A 60-year-old male suffering from degenerative disc disease at the L3-L4 and L5-S1 levels was placed under general anesthesia. Using an anterior approach, the L3-L4 disc space was exposed. Using blunt dissection, the disc space was cleaned. The disc space was then sized and trialed. Excellent placement and insertion of the artificial disc at L3-L4 was noted. The area was inspected and there was no compression of any nerve roots. Same procedure was performed on L5-S1 level. Peritoneum was then allowed to return to normal anatomic position and entire area was copiously irrigated. The wound was closed in a layered fashion. The patient tolerated the discectomy and arthroplasty well and was returned to recovery in good condition. What CPT coding is reported for this procedure?

- A. 22857 x 2
- B. 22857, 22860
- C. 22857
- D. 22899

Correct Answer: B