Vendor:IBM

Exam Code:C1000-004

Exam Name:IBM Curam SPM V7.X Application
Developer

Version: Demo

QUESTION 1

Which statement about customizing code table items in a way that avoids conflicts during future upgrade is true?

A. Continue the sequential names for the code items that already have been chosen by IBM.

B. Update the code table item in the out-of-the-box (OOTB) file.

C. Choose code item names that have different letter prefixes to any existing names.

D. There is no limit to the length of the table item name.

Correct Answer: C

QUESTION 2

Which two values are valid for the NAME attribute of a TARGET element? (Choose two.)

A. TEXT

B. A named SERVER_INTERFACE

C. PAGE

D. CONST

E. THIS

Correct Answer: BC

Reference: https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/
WebClientReference/r_WEBCREF_Reference1Link1.html

QUESTION 3

Which three of the following are Application Tier Layers in the IBM Cúram SPM application? (Choose three.)

A. Remote Interface Layer.

B. Session Layer.

C. Data Control Layer.

D. Business Object Layer.

E. Access Control Layer.

F. Data Access Layer.

Correct Answer: ADF

QUESTION 4

Examine this UIM code snippet:

```
<LIST>
    <FIELD LABEL="List.Title.Type" WIDTH="15">
        <CONNECT>
            <SOURCE NAME="SI_DISPLAY" PROPERTY="type"/>
        <CONNECT>
        <LINK PAGE_ID="Sample_viewCase">
            <CONNECT>
                <SOURCE NAME="SI_DISPLAY" PROPERTY="caseID"/>
                <TARGET NAME="PAGE" PROPERTY="caseID"/>
            </CONNECT>
        </LINK>
    </FIELD>
    ...
</LIST>
```

Which two missing elements are required for this FIELD element to compile successfully? (Choose two.)

A. A PAGE_PARAMETER with NAME="caseID".

B. A server interface with PHASE="DISPLAY".

C. A server interface with PHASE="ACTION".

D. A server interface call that returns an attribute called `type\\'.

E. An ACTION_CONTROL of type ACTION.

Correct Answer: AE

QUESTION 5

Which statement about domain definitions is true?

A. To customize a domain named MYDOMAIN, create a new domain definition named MYDOMAIN in your custom package.

B. Domain definitions are a UML concept.

C. All attributes and entities must be based on domain definitions.

D. A Domain may consist of a mixture of primitive types and other domain definitions.

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/
ServerModelling/r_SERMOD_Definitions1DomainDefinitionClasses1.html

---

QUESTION 6

For which two associations can you specify the shadow class types? (Choose two.)

A. Subclassing.

B. Assignable.

C. Foreign Key.

D. Index.

E. Aggregation.

Correct Answer: AB

QUESTION 7

Which two artifacts types are customized by merging? (Choose two.)

A. "-config.xml

B. *.nav

C. *.properties

D. *.uim

E. *.vim

Correct Answer: CD

QUESTION 8

You get the following error message while adding custom functionality:

Error!

The page you have requested is not available. One possible cause is that you are not licensed for the necessary Cúram module. If that is
the case, you can use the User Interface administration screens to remove these links.

What is the most likely cause of the error?

A. An artifact links to a page that does not exist.

B. The security for the UIM page is not defined.

C. A Page parameter is incorrectly specified.

D. A Server Interface has the wrong PHASE.

Correct Answer: C

Reference: https://www-01.ibm.com/support/docview.wss?uid=swg1PO01739

QUESTION 9

What is specified in the .app file for application-wide searching?

A. References to search pages.

B. The name of the parameter that stores the search input value.

C. The name of the server interface that is called to perform the search.

D. A default search input value.

Correct Answer: C

QUESTION 10

Which statement about developing pods IBM Cúram SPM is true?

A. UIM pages that display pods must include PodContainer.vim.

B. PodLoader classes call renders to generate HTML for each pod.

C. UIM pages source HTML from the PodContainerInterface to display the pods.

D. The PodContainerManager reads properties files to determine the pods to display for the page.

Correct Answer: A

Reference: https://www.google.com/url? sa=tandrct=jandq=andesrc=sandsource=webandcd=1andved=2ahUKEwjb2qS
FsIfnAhURLBoKHbmmBdEQFjAAegQIAh
ABandurl=ftp%3A%2F%2Fpublic.dhe.ibm.com%2Fsoftware%2Fsolutions%2Fcuram% 2F6.0.4.0%2Fen%
2FDevelopers%2FCuramPodDevelopersGuide.pdfandusg=AOvVaw0w-gSsRuZoBUGDxZPZzaoS (14)

QUESTION 11

Which documentation resource provides a list of configurable validation messages?

A. IBM Cúram Server Developer\\'s Guide.

B. JavaDoc.

C. Analysis Documentation.

D. IBM Cúram Development Compliancy Guide.

Correct Answer: A

QUESTION 12

You want to model attribute2 as a code table in the following entity.

Which two steps are required? (Choose two.)

A. Set the domain definition for attribute2 to CODETABLE_CODE.

B. Set the Type for SAMPLE_DOMAIN2 to CODETABLE_CODE.

C. Define the code table name as a property of attribute2.

D. Define the code table name as a property of SAMPLE_DOMAIN2.

E. Define the code table name as a property of CODETABLE_CODE.

Correct Answer: BC