

100% Money Back
Guarantee

Vendor:CyberArk

Exam Code:CAU201

Exam Name:CyberArk Defender

Version:Demo

QUESTION 1

Which utilities could you use to change debugging levels on the vault without having to restart the vault. Select all that apply.

- A. PAR Agent
- B. PrivateArk Server Central Administration
- C. Edit DBParm.ini in a text editor.
- D. Setup.exe

Correct Answer: A

QUESTION 2

If the AccountUploader Utility is used to create accounts with SSH keys, which parameter do you use to set the full or relative path of the SSH private key file that will be attached to the account?

- A. KeyPath
- B. KeyFile
- C. ObjectName
- D. Address

Correct Answer: B

QUESTION 3

Which of the following PTA detections require the deployment of a Network Sensor or installing the PTA Agent on the domain controller?

- A. Suspected credential theft
- B. Over-Pass-The-Hash
- C. Golden Ticket
- D. Unmanaged privileged access

Correct Answer: C

QUESTION 4

In accordance with best practice, SSH access is denied for root accounts on UNIXLINUX system.

What is the BEST way to allow CPM to manage root accounts?

- A. Create a privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account of the target server's root account.
- B. Create a non-privileged account on the target server. Allow this account the ability to SSH directly from the CPM machine. Configure this account as the Logon account of the target server's root account.
- C. Configure the Unix system to allow SSH logins.
- D. Configure the CPM to allow SSH logins.

Correct Answer: B

QUESTION 5

Secure Connect provides the following features. Choose all that apply.

- A. PSM connections to target devices that are not managed by CyberArk.
- B. Session Recording.
- C. real-time live session monitoring.
- D. PSM connections from a terminal without the need to login to the PVWA.

Correct Answer: AB

QUESTION 6

Which is the primary purpose of exclusive accounts?

- A. Reduced risk of credential theft
- B. More frequent password changes
- C. Non-repudiation (individual accountability)
- D. To force a collusion to commit fraud ensuring no single actor may use a password without authorization

Correct Answer: C

QUESTION 7

It is possible to leverage DNA to provide discovery functions that are not available with auto-detection.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 8

A user has successfully conducted a short PSM session and logged off. However, the user cannot access the Monitoring tab to view the recordings.

What is the issue?

- A. The user must login as PSMAAdminConnect
- B. The PSM service is not running
- C. The user is not a member of the PVWAMonitor group
- D. The user is not a member of the Auditors group

Correct Answer: D

QUESTION 9

A new domain controller has been added to your domain. You need to ensure the CyberArk infrastructure can use the new domain controller for authentication. Which locations must you update?

- A. on the Vault server in Windows\System32\Etc\Hosts and in the PVWA Application under Administration > LDAP Integration > Directories > Hosts
- B. on the Vault server in Windows\System32\Etc\Hosts and on the PVWA server in Windows\System32\Etc\Hosts
- C. in the Private Ark client under Tools > Administrative Tools > Directory Mapping
- D. on the Vault server in the certificate store and on the PVWA server in the certificate store

Correct Answer: C

QUESTION 10

DRAG DROP

Match the built-in Vault User with the correct definition.

Select and Place:

Answer Area

<p>This user appears on the highest level of the User hierarchy and has all the possible permissions. As such, it can create and manage other Users on any level on the Users' hierarchy.</p>	<p>Drag answer here</p>	<p>Administrator</p>
<p>This user appears at the top of the User hierarchy, enabling it to view all the Users in the Safe. The user can produce reports of Safe activities and User activities, which enables it to keep track of activity in the Safe and User requirements.</p>	<p>Drag answer here</p>	<p>Batch</p>
<p>This user is an internal user that cannot be logged onto and carries out internal tasks, such as automatically clearing expired user and Safe history.</p>	<p>Drag answer here</p>	<p>Master</p>
<p>This user has all available Safe member authorizations except Authorize password requests. This user has complete system control, manages a full recovery when necessary and cannot be removed from any Safe.</p>	<p>Drag answer here</p>	<p>Auditor</p>

Correct Answer:

Answer Area

	<p>This user appears on the highest level of the User hierarchy and has all the possible permissions. As such, it can create and manage other Users on any level on the Users' hierarchy.</p>	<p>Administrator</p>
	<p>This user is an internal user that cannot be logged onto and carries out internal tasks, such as automatically clearing expired user and Safe history.</p>	<p>Batch</p>
	<p>This user has all available Safe member authorizations except Authorize password requests. This user has complete system control, manages a full recovery when necessary and cannot be removed from any Safe.</p>	<p>Master</p>
	<p>This user appears at the top of the User hierarchy, enabling it to view all the Users in the Safe. The user can produce reports of Safe activities and User activities, which enables it to keep track of activity in the Safe and User requirements.</p>	<p>Auditor</p>

QUESTION 11

Your customer, ACME Corp, wants to store the Safes Data in Drive D instead of Drive C. Which file should you edit?

- A. TSparm.ini
- B. Vault.ini
- C. DBparm.ini
- D. user.ini

Correct Answer: A

QUESTION 12

An auditor needs to login to the PSM in order to live monitor an active session. Which user ID is used to establish the RDP connection to the PSM server?

- A. PSMConnect
- B. PSMMaster
- C. PSMGwUser
- D. PSMAdminConnect

Correct Answer: D