

**100%** Money Back  
**Guarantee**

**Vendor:**EMC

**Exam Code:**E20-351

**Exam Name:**Storage Attached Network (SAN)  
Speacilalist Exam

**Version:**Demo

### QUESTION 1

What is the total maximum bandwidth for a 16-port switching module to the crossbar on a MDS 9509 with dual Supervisor Modules?

- A. 160 Gb/s full
- B. 20 Gb/s full
- C. 40 Gb/s full
- D. 80 Gb/s full

Correct Answer: D

---

### QUESTION 2

In an iSCSI client-server architecture, what are devices that provide a request service to storage components (logical units) known as?

- A. Client
- B. Device server
- C. Initiator
- D. Target

Correct Answer: D

---

### QUESTION 3

Which layer in the iSCSI protocol stack controls messages, SCSI commands, and parameters between the initiator and target?

- A. IP
- B. iSCSI
- C. SCSI
- D. TCP

Correct Answer: D

---

### QUESTION 4

Click the Exhibit button. What is indicated by the No in the Logged in column of the displayed symmask command?  
Practice exams also include self assessment and reporting features!\*\*Exhibit Missing\*\*

- A. The FA does not have the VCM bit set.
- B. The FA is not logged in to a fabri
- C. The port is not logged in to the FA.
- D. The port is not masked to any devices.

Correct Answer: C

---

#### **QUESTION 5**

How can you find an HBA's WWN on a Sun host?

- A. `cat /var/adm/messages`
- B. `fcmsutil /dev/td0`
- C. `sam`
- D. `smit fe`

Correct Answer: A

---

#### **QUESTION 6**

Which SAN-based device provides critical server CPU offload and frees servers to perform application processing?

- A. FC-SW
- B. Host bus adapter
- C. Multimode fibre cable
- D. SFP

Correct Answer: B

---

#### **QUESTION 7**

What are the three tiers of Control Center architecture?

- A. Console tier, Infrastructure tier, Agent tier
- B. Console tier, Server tier, Infrastructure tier
- C. Server tier, Infrastructure tier, reporting tier
- D. User tier, Infrastructure tier, Agent tier

Correct Answer: D

---

**QUESTION 8**

What are the device special files naming convention in an AIX environment?

- A. `./PHYSICALDRIVE#`
- B. Block Device is `/dev/dsk/c##d#` and Character Device is `/dev/rdisk/c##d#`
- C. Block Device is `/dev/dsk/c##d#s2` and Character Device is `/dev/rdisk/c##d#s2`
- D. Block Device is `/dev/hdisk#` and Character Device is `/dev/rhdisk#`

Correct Answer: D

---

**QUESTION 9**

When installing EMC PowerPath on a Solaris host, which command will initiate the install?

- A. `install`
- B. `pkgadd`
- C. `ppinstall`
- D. `rpm`

Correct Answer: B

---

**QUESTION 10**

On EMC Control Center, what are the two methods used to discover B-Series switches and directors?

- A. Brocades Connectivity Access Layer and SMI Provider
- B. Brocades Fabric Access Layer and SMI Provider
- C. Brocades Fabric Access Layer and SNMP Provider
- D. DSM Connect and SMI Provider

Correct Answer: B

---

**QUESTION 11**

Which ports are used for interswitch links (ISL)?

- A. E\_Ports
- B. F\_Ports

C. FL\_Ports

D. N\_Ports

Correct Answer: A

---

**QUESTION 12**

What is the port configuration when implementing multiprotocol routing for B-Series FCIP?

A. E\_Port

B. F\_Port

C. FL\_Port

D. VE\_Port

Correct Answer: D