

100% Money Back
Guarantee

Vendor:EMC

Exam Code:E20-390

Exam Name:VNX Solutions Specialist Exam for
Implementation Engineers

Version:Demo

QUESTION 1

What is the CLI command to enable Access Logix?

- A. navisecli -h accesslogix -on
- B. navisecli -h storagegroup -enable
- C. navisecli -h accesslogix -enable
- D. navisecli -h storagegroup on

Correct Answer: B

Explanation: The CLI equivalent is the command "navisecli h storagegroup enable". Once enabled, Access Logix can be disabled only via the CLI command "navisecli h sc_off "

QUESTION 2

Which CLI command is used to disable Access Logix?

- A. navisecli -h accesslogix -off
- B. navisecli -h sc_off
- C. navisecli-h storagegroup -disable
- D. navisecli -h accesslogix disable

Correct Answer: B

QUESTION 3

What are the RAID group types available for the creation of a storage pool?

- A. RAID 5, RAID 6, RAID 1/0
- B. RAID 5, RAID3, RAID 1/0
- C. RAID 5 only
- D. RAID 6 only

Correct Answer: A

QUESTION 4

How is ESXi CPU management related to VNX storage performance?

- A. CPU contention draws cycles from iSCSI
- B. CPU is stored on the VNX array
- C. VNX holds CPU paging
- D. CPU ballooning requires storage resources

Correct Answer: A

QUESTION 5

A system administrator needs to change several CIFS parameters on a VNX for File system. How will the change affect the VNX system?

- A. Parameters will be applied per Data Mover and to all VDMs on the affected Data Mover
- B. Only the VDM where the parameter is set will be affected
- C. Only the CIFS server where the parameter is set will be affected
- D. Only the Data Movers and CIFS server created on the physical Data Mover will be affected

Correct Answer: A

QUESTION 6

An administrator wants to set the export permissions on an NMFS. What is a key consideration concerning the export permissions on the component file system?

- A. Export permissions of the component file system override the NMFS export permissions.
- B. Inherited NMFS export permissions override the component file system export permissions.
- C. The component file system cannot be assigned individual export permissions.
- D. The component file system does not inherit NMFS export permissions.

Correct Answer: A

QUESTION 7

What should be installed to use the data compression feature of a VNX array?

- A. Compression Enabler and Thin Provisioning Enabler only
- B. Compression Enabler only
- C. Compression Enabler and FAST Enabler only
- D. Compression Enabler, Thin Provisioning Enabler, and FAST Enabler

Correct Answer: A

QUESTION 8

Which statement correctly describes a benefit of using a Virtual Data Mover (VDM)?

- A. It supports the separation of CIFS servers and their shares
- B. It enables the replication of NFS exports
- C. It can be configured as a standby for failover.
- D. It provides security for users in multi-protocol environments

Correct Answer: A

Explanation:

Virtual Data Mover Overview

- Feature that allows the separation of CIFS servers and their associated environment into virtual containers
 - VDM virtual partitioning enables:
 - ▶ Separation of CIFS servers and their shares
 - ▶ Replication of CIFS environments
 - ▶ Movement of CIFS servers from one physical Data Mover to another
 - ▶ Separate point for user file systems to be mounted
-

QUESTION 9

What port, by default, must be open in the firewall for Replication Manager server traffic?

- A. 65432

B. 65431

C. 6543

D. 6542

Correct Answer: A

QUESTION 10

Which criterion must be met before executing the storagepool destroy command with Navisphere Secure CLI?

A. Complete removal of all LUNs from the pool

B. Complete removal of unused LUNs from the pool

C. Complete removal of large LUNs from the pool

D. Complete removal of empty LUNs from the pool

Correct Answer: C

QUESTION 11

An administrator has installed a new VNX and configured an interface using IP address 10.10.10.50 for CIFS file sharing over 10 gigabit Ethernet link. The administrator has also created two CIFS servers: one for production one for testing. They are currently able to access only the production CIFS server.

What is the most likely source of this problem?

A. A firewall is interfering with traffic to test network

B. Only one CIFS server is supported per interface

C. No route to the test network is currently available

D. The CIFS server used for testing needs to join the domain

Correct Answer: B

QUESTION 12

What is a feature available to a virtual Data Mover?

A. Usermapper client

B. Standby Data Mover

C. Virus Checker

D. iSCSI Server

Correct Answer: A