

100% Money Back
Guarantee

Vendor:SAP

Exam Code:E_BW4HANA207

Exam Name:SAP Certified Application Specialist -
SAP BW/4HANA 2.0 Delta

Version:Demo

QUESTION 1

What are valid reason to generate external SAP HANA View for SAP BW/4HANA objects? Note: there are 2 correct answers to this question.

- A. To consume SAP BW/4HANA data and manage access with native SAP HANA concepts
- B. To apply SAP HANA transformational logic instead of SAO ABAP logic
- C. To leverage the SAP HANA-optimized Analytic Manager to process BWQuery
- D. To create an additional persistent layer of data in SAP HANA

Correct Answer: AC

QUESTION 2

In SAP BW/4HANA you decide to switch on the External Tier (COLD Store) for a DataStore object (advanced) based on the Data Tiering Optimization (DTO)concept.

Where can the data be managed?

Note: there are 2 correct answers to this question.

- A. In an SAP IQ database
- B. In SAP HANA on an extension node
- C. In SAP HANA Native Storage Extension
- D. In the file system of a Hadoop cluster

Correct Answer: AD

QUESTION 3

You want to create an SAP BW Query showing data loading statistics provided by the SAP BW/4HANA statistical analysis.

Which object does SAP deliver to provide data for your SAP BW Query?

- A. Open ODS View
- B. ABAP CDS View
- C. BadI Provider
- D. DataStore object (advanced)

Correct Answer: B

QUESTION 4

You use the SAP BW/4HANA Transfer Cockpit to prepare your SAP BW system for an in-place conversion to SAP BW/4HANA.

Which functions are provided by this cockpit? Note: There are 2 correct answers to this question.

- A. Execute Pre-Checks
- B. Transfer 3.x DataFlow into 7.x DataFlows
- C. Transfer Bex Queries into BW Queries
- D. Transfer Standard Authorizations

Correct Answer: AD

QUESTION 5

You want to load data from SAP Ariba to SAP BW/4HANA. Which object in SAP BW/4HANA does SAP recommend to use for this scenario?

- A. DataStore of type ODP_CDS
- B. Write Interface-Enabled DataStore Object
- C. Direct Update DataStore Object
- D. DataStore of type ODP_HANA

Correct Answer: A

QUESTION 6

Which BW object type do you need to create a BadI Provider?

- A. DataStore object (advanced) in Planning Mode
- B. InfoObject
- C. DataStore object (advanced) with Direct Update
- D. CompositeProvider

Correct Answer: A

QUESTION 7

You create a DataStore object (advanced) with only the setting ""Sourcing DataStore Object"" and ""Reporting-Enabled""

selected.

Which table or combination of tables is used when data is extracted from this DataStore object (advanced) in a data flow?

- A. The union of the Inbound table and the Changelog table
- B. The union of the Inbound table and the Active Data table
- C. Inbound table only
- D. Active Data table only

Correct Answer: D

QUESTION 8

You enable a DataStore object(advanced) for reporting by switching on the ""External SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The generated analytic privileges in SAP HANA
- B. The authorizations for the HDI container access in SAP HANA
- C. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D. The analysis authorizations in SAP BW/4HANA

Correct Answer: C

QUESTION 9

You want to load a customer table to SAP BW/4HANA in delta mode.

The customer table is managed in SAP S/4HANA Cloud. Each record has an UTC time stamp.

What is recommended approach to implement this extraction?

- A. Create a DataSource in SAP S/4HANA which leverages the generic delta based on the time stamp.
- B. Create an ABAP CDS View in SAP S/4HANA which is enabled for extraction and model the Change Delta Capture (CDC) logic based on the time stamp.
- C. Create an ABAP CDS View in SAP S/4HANA which is enabled for extraction and generates the delta based on the time stamp.
- D. Create an SAP HANA CDS View in SAP S/4HANA which leverages a procedure to generate the delta based on the time stamp.

Correct Answer: C

QUESTION 10

Why do you create a Semantic Group?

- A. To create folders for SAP BW Query elements
- B. To loadInfoObject attribute with Enhanced Master Data Update
- C. To generate multiple similar DataStore objects (advanced)
- D. To define settings for Data Tiering Optimization (DTO)

Correct Answer: D

QUESTION 11

You model an Open ODS View on an SAP HANA table. You would like to persist the data in an SAP BW/4HANA object based on the '\Generate Dataflow...\ ' function.

Which objects are created automatically?

Note: there are 3 correct answers to this question.

- A. DataStore object (advanced)
- B. DataSource
- C. InfoPackage
- D. InfoSource
- E. Transformation

Correct Answer: ABE

QUESTION 12

From an SAP BW/4HANA perspective, what is the difference between SAP HANA Smart Data Access (SDA) and SAP HANA Smart Data Integration (SDI)?

Note: There are 2 correct answers to this question.

- A. SDI provides options for data replication in real-time, while SDA does NOT provide this capability.
- B. SDA integrates into the SAP HANA Indexserver while you need to setup an additional SAP 1-1 HANA Data Provisioning server for SDI.
- C. SAP BW/4HANA DataSources of source system type "SAP HANA" can connect to SDA sources, but NOT to SDI sources.

D. SAP BW/4HANA Open ODS View can be modelled on SDI sources, but NOT on SDA sources.

Correct Answer: BD