

100% Money Back
Guarantee

Vendor:Extreme Networks

Exam Code:EW0-200

Exam Name:Extreme networks associate(ena)

Version:Demo

QUESTION 1

How long in seconds, is the Extreme switch?FDB Aging time set at by default?

- A. 100
- B. 200
- C. 300
- D. 400

Correct Answer: C

QUESTION 2

Name one of the two user authentication protocols supported by ExtremeWare.

Correct Answer: TACACS+

QUESTION 3

After using the disable web command you later issue the show session command and see the following: How was it possible for someone to login with ExtremeWare Vista?

#	Login Time	User	Type	Auth	CLI Auth	Location
0	Thu Feb 28 14:07:18 2002	admin	console	local	disabled	serial
4	Thu Feb 28 17:43:36 2002	admin	http	local	disabled	10.0.5.100

- A. Admin level accounts can always login through console, telnet, and HTTP.
- B. You did not reboot after issuing the DISABLE WEB command.
- C. You did not save the configuration after issuing the DISABLE WEB command.
- D. The disable web command does not exist.

Correct Answer: B

QUESTION 4

What is the maximum number of VLANs that can be tagged on a single link between Extreme Networks switches.

- A. 1000
- B. 2000

C. 4095

D. 6000

Correct Answer: C

QUESTION 5

Upgrading the BootROM on a Summit 48i switch is done via the CLI command:

A. upload bootrom []

B. enable bootrom []

C. download bootrom []

D. None of these

Correct Answer: C

QUESTION 6

How many unique physically MAC addresses has a Summit 48i switch?

A. 1

B. 64

C. Depends on the number of Ethernet ports.

D. 4096

Correct Answer: A

QUESTION 7

In an Extreme Switch, a VLAN configured for routing can support only one physical Ethernet port.

A. TRUE

B. FALSE

Correct Answer: B

QUESTION 8

An Alpine 3802 switch maintains a maximum of _____ messages in its internal log?

Correct Answer: 1000

QUESTION 9

OSPF is a link-state type of routing protocol.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 10

When a port is added to a tagged VLAN, jumbo frame support must be enabled to compensate for the increased frame size.

- A. TRUE
- B. FALSE

Correct Answer: B

QUESTION 11

Which CLI command would you use to configure the switch to ignore STP for selected VLANs?

- A. enable ignore-stp vlan
- B. enable ignore-bpdu stpd vlan
- C. enable ignore-bpdu stpd
- D. enable ignore-stp vlan

Correct Answer: D

QUESTION 12

Autonegotiation is enabled by default on all Ethernet ports of an Extreme switch.

- A. TRUE
- B. FALSE

Correct Answer: A