

100% Money Back
Guarantee

Vendor:Network Appliance

Exam Code:NS0-157

Exam Name:NetApp Certified Data Administrator,
Clustered Data ONTAP

Version:Demo

QUESTION 1

An administrator creates an account for a new user, and wants this user to have limited capabilities accessing SSH. The administrator defined the account, but the user still has full control.

Which two settings would the administrator use to correct this problem? (Choose two.)

- A. the user account settings in OnCommand system Manager
- B. the user account settings of the admin account
- C. the user account settings in Windows Active Directory Users and Computers
- D. the user account settings in the clustershell

Correct Answer: CD

QUESTION 2

Which two Data ONTAP Cluster-Mode clone technologies will lock a Snapshot copy? (Choose two.)

- A. FlexClone
- B. LUN Clone
- C. Snap Clone
- D. Vol Clone
- E. Aggr Clone

Correct Answer: AB

QUESTION 3

What two actions should an administrator take before shutting down two nodes of a 4-node cluster? (Choose two.)

- A. reassign the master of all RDB rings to a node that will be staying up
- B. migrate node-management LIFs to a node that will be staying up
- C. move Vserver root volumes to a node that will be staying up
- D. set both nodes that are coming down to "ineligible"
- E. ensure that Epsilon is assigned to one of the nodes that will be staying up

Correct Answer: DE

QUESTION 4

Which statement is true when a two node switchless cluster is grown to a four-node cluster?

- A. The new HA-pair connected to two new cluster switches and the existing two-node cluster will connect one path at a time to the new cluster switches.
- B. There is a short outage while the new HA pair and existing two node cluster add additional NVRAM cards for cluster connections.
- C. The new HA pair is direct-attached to the existing two-node cluster-free 10 GbE ports without adding switches.
- D. The new HA pair is connected to four new cluster switches and the existing two-node cluster will connect one path at a time to the new cluster switches.

Correct Answer: A

QUESTION 5

You acquired a new company that has the same private IP address range.

What must be set up on the NetApp cluster to support the duplicate networks?

- A. VLANs
- B. failover groups
- C. IPspaces
- D. DNS zone

Correct Answer: B

QUESTION 6

An unexpected network outage has occurred and you have lost access to an NFS share inside an SVM on your cluster.

What is causing the problem?

- A. The broadcast domain does not have a failover policy defined.
- B. The MTU setting for the port is incorrect.
- C. The failover group does not have the proper targets defined.
- D. The current port is already hosting a LIF.

Correct Answer: A

QUESTION 7

What is the default privileged account used to manage a clustered Data ONTAP storage system?

- A. administrator
- B. root
- C. admin
- D. pseudo root

Correct Answer: C

The default cluster account admin an alternative administrative user account username Reference:
https://library.netapp.com/ecm/ecm_download_file/ECMP1196798

QUESTION 8

A customer has lost access to shares being used by an application.

What are three troubleshooting steps the administrator should take? (Choose three.)

- A. Verify that the admin SVM is running on the node being accessed by the customer.
- B. Verify that the LIF resides on its home port.
- C. Verify that the LIFs in the SVM are all up and active.
- D. Verify that the SVM has CIFS running, that the share exists, and is online.
- E. Verify that there is network connectivity between the SMB client and the SVM.

Correct Answer: ABD

QUESTION 9

Which statement is true about clustered Data ONTAP 8.2 node based licensing?

- A. When replacing a controller for a RMA the key is automatically updated to the serial number of new controller.
- B. When replacing a controller for a RMA, a new key is needed but the existing key will work for 90 days.
- C. A new clustered Data ONTAP 8.2 installation can use both 8.1 keys and 7-Mode keys.
- D. Replacing a NVRAM card in a controller will NOT require new license keys for that mode.

Correct Answer: B

QUESTION 10

Volumes can be moved from 32-bit aggregates to which two types of aggregates? (Choose two.)

- A. 32-bit aggregates
- B. 64-bit aggregates
- C. Flex aggregates
- D. Traditional aggregates

Correct Answer: AB

QUESTION 11

In Data ONTAP 8.1.1 Cluster-Mode, what is the maximum TCP read size for an NFSv3 client?

- A. 1,048,576 bytes
- B. 32,768 bytes
- C. 65,536 bytes
- D. 2,097,152 bytes

Correct Answer: A

<https://library.netapp.com/ecmdocs/ECMP1136576/html/GUID-678ABF68-C8884517A51DA98BD96CA851.html>

QUESTION 12

Which two clustered Data ONTAP clone technologies will lock volume snapshot? (Choose two)

- A. Vol Clone
- B. LUN Clone
- C. AggrClone
- D. FlexClone
- E. SnapClone

Correct Answer: BD

<http://examcramnotes.blogspot.nl/>