

100% Money Back
Guarantee

Vendor:NetApp

Exam Code:NS0-159

Exam Name:NetApp Certified Data Administrator,
ONTAP

Version:Demo

QUESTION 1

A storage administrator is not receiving performance alerts on an OnCommand Unified Manager policy that was created for a NAS volume.

Which additional task is required to solve this problem?

- A. You should assign a tiering policy.
- B. You should assign the performance threshold policy.
- C. You should clear the performance threshold policy.
- D. You should search for volume data.

Correct Answer: B

QUESTION 2

Click the Exhibit button.

```
::> storage failover show
Node      Partner  Takeover Possible State
-----
node1     node2    true     Connected to node1
node2     node1    true     Connected to partner, Takeover is not possible: Storage failover mailbox disk state is invalid, Local node
has encountered errors while reading the storage failover partner's mailbox disks. Local node missing partner disks
```

After a storage failover giveback, you see the storage failover show output shown in the exhibit. The problem does not resolve after five minutes.

Which two areas should you troubleshoot to solve the problem? (Choose two.)

- A. NVRAM
- B. disks
- C. FCoE interfaces
- D. cabling

Correct Answer: AB

QUESTION 3

When a cluster is created, which two objects are required to provide management access? (Choose two.)

- A. data LIFs
- B. data SVM

C. management LIFS

D. admin SVM

Correct Answer: CD

QUESTION 4

When FCoE is used in a cluster, which feature must be licensed?

A. iSCSI

B. CIFS

C. NFS

D. FCP

Correct Answer: A

QUESTION 5

Click the Exhibit button.

NetApp

```
cluster01::> volume mount -vserver departments -volume finance -junction-path /depth/fin
cluster01::> volume unmount -vserver departments -volume finance
cluster01::> volume mount -vserver departments -volume finance -junction-
path /departments/finance
```

UNIX

```
# mkdir /tmp/fin
```

Assuming that the export policy on the storage allows access, you want to enable client access to the finance volume in the departments SVM in the /tmp/fin directory.

Referring to the exhibit, which UNIX command must be executed to accomplish this task?

A. mount -t nfs -o nfsvers=3 cluster01:/finance /tmp/fin

B. mount -t nfs -o nfsvers=3 cluster01:/fin /tmp/fin

C. mount -t nfs -o nfsvers=3 cluster01:/dept/fin /tmp/fin

D. mount -t nfs -o nfsvers=3 cluster01:/departments/finance /tmp/fin

Correct Answer: D

QUESTION 6

What are three advantages of configuring network subnets? (Choose three.)

- A. The default gateway is automatically added to the SVM.
- B. The DNS zone is automatically set on the NAS LIF.
- C. The subnet mask is automatically set on the NAS LIF.
- D. The flow control is automatically set on the port.
- E. The IP address is automatically set on the NAS LIF.

Correct Answer: ABE

QUESTION 7

A user cannot delete the files in a volume's Snapshot copy. In this scenario, what is the problem?

- A. A retention period was configured for the Snapshot copy.
- B. Snapshot copies are read only.
- C. The files are being used by another user.
- D. The user does not have the required permission.

Correct Answer: B

QUESTION 8

Click the Exhibit button.

```
alphana1::qos> qos policy-group show
```

Name	Vserver	Class	Wklds	Throughput
BronzeQoS	alphasan1	user-defined	2	0-50MB/s
BronzeQoS	lab-fs1	user-defined	4	0-1000IOPS

```
2 entries were displayed.
```

```
alphana1::qos> vol show -fields vserver,volume,qos-policy-group
```

vserver	volume	qos-policy-group
alphana1-01	vol0	-
alphana1-02	vol0	-
alphasan1	alphasan1	BronzeQoS
alphasan1	labesx_boot	-
alphasan1	labrvm_boot	-
alphasan1	labxen_boot	-
alphasan1	sql_cls	BronzeQoS
lab-fs1	lab_fs1_root	-
lab-fs1	shares0	BronzeQoS
lab-fs1	images0	BronzeQoS
lab-fs1	iso_images	BronzeQoS
lab-fs1	home_dirs	BronzeQoS

```
12 entries were displayed.
```

Referring to the exhibit, what is the throughput limit for the shares0 volume?

- A. 250 IOPS
- B. 25 MB/s
- C. 50 MB/s
- D. 1000 IOPS

Correct Answer: D

QUESTION 9

You have a new cluster and must create a LIF on a port that uses LACP and VLAN. What is the correct order of network tasks that are required before you create the LIF?

- A. ifgroup -> VLAN -> add port to broadcast domain
- B. VLAN -> ifgroup -> add port to broadcast domain
- C. add port to broadcast domain ?ifgroup >; VLAN
- D. add port to broadcast domain -> VLAN -> ifgroup

Correct Answer: A

QUESTION 10

Which two actions would you take to create a FlexGroup for the SVM vsO in an NFSv3 environment? (Choose two.)

- A. Use the volume flexgroup deploy command.
- B. Enable the -v3-64bit-identifiers parameter.
- C. Enable the -v3-f sid-change parameter.
- D. Use the aggregate create command.

Correct Answer: AB

QUESTION 11

A storage administrator moves a LUN from one volume to another.

In this scenario, what is left behind in the volume?

- A. clones of the LUN
- B. LUN geometry settings
- C. all of the deduplicated blocks from the base LUN
- D. Snapshot copies of the volume

Correct Answer: C

QUESTION 12

Where would you look to find the minimum and the maximum number of array LUNs supported by FlexArray?

- A. OneCollect
- B. Config Advisor
- C. Hardware Universe
- D. Interoperability Matrix Tool (IMT)

Correct Answer: C