

**100%** Money Back  
**Guarantee**

**Vendor:**Palo Alto Networks

**Exam Code:**PCCSE

**Exam Name:**Prisma Certified Cloud Security Engineer

**Version:**Demo

### QUESTION 1

Which intensity setting for anomaly alerts is used for the measurement of 100 events over 30 days?

- A. High
- B. Medium
- C. Low
- D. Very High

Correct Answer: B

Reference:

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/manage-prisma-cloud-administrators/de ne-prisma-cloud- enterprise- settings.html>

---

### QUESTION 2

A customer wants to scan a serverless function as part of a build process. Which twistcli command can be used to scan serverless functions?

- A. twistcli function scan
- B. twistcli scan serverless
- C. twistcli serverless AWS
- D. twiscli serverless scan

Correct Answer: D

Reference: [https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/vulnerability\\_management/serverless\\_functions](https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/vulnerability_management/serverless_functions)

---

### QUESTION 3

What are two alarm types that are registered after alarms are enabled? (Choose two.)

- A. Onboarded Cloud Accounts status
- B. Resource status
- C. Compute resources
- D. External integrations status

Correct Answer: AD

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/manage-prisma-cloud-alarms/prisma-cloud-alarms>

---

#### QUESTION 4

How are the following categorized?

Backdoor account access Hijacked processes Lateral movement Port scanning

- A. audits
- B. incidents
- C. admission controllers
- D. models

Correct Answer: B

[https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/runtime\\_defense/incident\\_types](https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/runtime_defense/incident_types)

---

#### QUESTION 5

Given this information: The Console is located at <https://prisma-console.mydomain.local> The username is: cluster The password is: password123 The image to scan is: myimage:latest

Which twistcli command should be used to scan a Container for vulnerabilities and display the details about each vulnerability?

- A. twistcli images scan --console-address <https://prisma-console.mydomain.local> -u cluster -p password123 --details myimage:latest
- B. twistcli images scan --console-address prisma-console.mydomain.local -u cluster -p password123 --vulnerability-details myimage:latest
- C. twistcli images scan --address prisma-console.mydomain.local -u cluster -p password123 --vulnerability-details myimage:latest
- D. twistcli images scan --address <https://prisma-console.mydomain.local> -u cluster -p password123 --details myimage:latest

Correct Answer: D

Reference: [https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/tools/twistcli\\_scan\\_images](https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/tools/twistcli_scan_images)

---

#### QUESTION 6

A customer wants to turn on Auto Remediation.

Which policy type has the built-in CLI command for remediation?

- A. Anomaly
- B. Audit Event
- C. Network
- D. config

Correct Answer: D

Reference: <https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/prisma-cloud-policies/create-a-policy.html>

---

#### **QUESTION 7**

Which two information types cannot be seen in the data security dashboard? (Choose two.)

- A. Top Publicly Exposed Objects By Data Profile
- B. Bucket owner
- C. Object content
- D. Total objects
- E. Object Data Profile by Region

Correct Answer: BC

---

#### **QUESTION 8**

Which role does Prisma Cloud play when configuring SSO?

- A. JIT
- B. Service provider
- C. SAML
- D. Identity provider issuer

Correct Answer: B

Prisma Cloud is Service provider.

---

#### **QUESTION 9**

A customer is reviewing Container audits, and an audit has identified a cryptominer attack. Which three options could have generated this audit? (Choose three.)

- A. The value of the mined currency exceeds \$100.

- B. High CPU usage over time for the container is detected.
- C. Common cryptominer process name was found.
- D. The mined currency is associated with a user token.
- E. Common cryptominer port usage was found.

Correct Answer: BCE

---

#### QUESTION 10

Which `kind` of Kubernetes object is Configured to ensure that Defender is acting as the admission controller?

- A. MutatingWebhookconfiguration
- B. DestinationRules
- C. ValidatingWebhookconfiguration
- D. PodSecurityPolicies

Correct Answer: C

Reference: [https://docs.paloaltonetworks.com/prisma/prisma-cloud/21-04/prisma-cloud-compute-edition-admin/access\\_control/open\\_policy\\_agent.html](https://docs.paloaltonetworks.com/prisma/prisma-cloud/21-04/prisma-cloud-compute-edition-admin/access_control/open_policy_agent.html)

---

#### QUESTION 11

Which three types of runtime rules can be created? (Choose three.)

- A. Processes
- B. Network-outgoing
- C. Filesystem
- D. Kubernetes-audit
- E. Waas-request

Correct Answer: ABC

[https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/runtime\\_defense/custom\\_runtime\\_rules](https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin-compute/runtime_defense/custom_runtime_rules)

---

#### QUESTION 12

Which IAM RQL query would correctly generate an output to view users who enabled console access with both access

keys and passwords?

A. config from network where api.name = `aws-iam-get-credential-report` AND json.rule = cert\_1\_active is true or cert\_2\_active is true and password\_enabled equals "true"

B. config from cloud.resource where api.name = `aws-iam-get-credential-report` AND json.rule = access\_key\_1\_active is true or access\_key\_2\_active is true and password\_enabled equals "true"

C. config from cloud.resource where api.name = `aws-iam-get-credential-report` AND json.rule = access\_key\_1\_active is false or access\_key\_2\_active is true and password\_enabled equals ""

D. config where api.name = `aws-iam-get-credential-report` AND json.rule= access\_key\_1\_active is true or access\_key\_2\_active is true and password\_enabled equals "true"

Correct Answer: B

Only "B" is proper query on Prisma