

100% Money Back
Guarantee

Vendor:SCP

Exam Code:SCP-500

Exam Name:SolarWinds Certified Professional Exam

Version:Demo

QUESTION 1

You want to get an alert when disk space used on a server exceeds 90%, but you will not consider the problem fixed until the space used drops below 60%. You want to get an email when the problem occurs, but you also want an email when the problem is fixed. While the problem remains unfixed, you want the alert to stay active in the Orion NPM Web Console. If you create an alert with a trigger condition such as "Volume Space Used is greater than 90%," you will get an email when the initial problem occurs. What is the next step that is required to accomplish this goal?

- A. add a Trigger Condition like "Volume Space Used is less than 60%"
- B. add an Alert Suppression Condition like "Volume Space Used is Less than 60%"
- C. add an Alert Escalation Condition like "Volume Space Used is Less than 60%"
- D. add a Reset Condition like "Volume Space Used is less than 60%"

Correct Answer: D

QUESTION 2

Which traffic type should be allowed through the network in order to leverage SNMP for network monitoring?

- A. UDP traffic on port 53
- B. UDP traffic on port 161
- C. TCP traffic on port 161
- D. TCP traffic on port 162

Correct Answer: B

QUESTION 3

Your network has a few critical devices on the other side of a WAN link from your Orion server. If the router (name = "target") connecting Orion to the remote site goes down, you do not want alerts about those devices. How should you configure Orion NPM Alert Suppression within the Advance Alert Engine to achieve your goal?

- A. suppress alert when any of the following apply: Node Name is equal to "target" | NodeStatus is equal to "Down"
- B. suppress alert when any of the following apply: Node Name is equal to "target" | Interface Status is equal to "Down"
- C. suppress alert when all of the following apply: Node Name is equal to "target" | Interface Status is equal to "Down"
- D. suppress alert when all of the following apply: Node Name is equal to "target" | Node Status is equal to "Down"

Correct Answer: D

QUESTION 4

Your network management system (NMS) leverages WMI to pull management data from Windows 2003 Servers. You have not deployed Active Directory, but your servers belong to a common workgroup. What should you do to ensure that your NMS has permission to query these servers?

- A. ensure that all of the servers are on the same service pack level
- B. ensure that all of the servers have the .NET framework 3.5 installed
- C. ensure that the account you are using exists on all of the servers
- D. ensure that the account and password you are using is the same on all of the servers

Correct Answer: D

QUESTION 5

When monitoring the performance of the WAN connection to a remote site, you notice that latency varies from 10 to 1700 milliseconds and that bandwidth utilization is commonly over 90%. Which type of traffic would be the most adversely affected by this situation?

- A. email
- B. SNMP polling
- C. VoIP
- D. Syslog

Correct Answer: C

QUESTION 6

The IT budgeting department has asked you for reports that will help them better plan for increases in monthly recurring costs. Which report should you set up to help the IT budgeting department meet this objective?

- A. router inventory
- B. WAN interface utilization
- C. LAN interface utilization
- D. available switch ports

Correct Answer: B

QUESTION 7

While isolating a bandwidth issue using your network management system (NMS), you discover that the percent utilization for an interface is over 100%. What is a possible cause?

- A. There is a duplex mismatch on this interface.

- B. The NMS is configured with the wrong interface speed.
- C. The NMS is monitoring too many interfaces.
- D. Packet loss is exceptionally high on this interface.

Correct Answer: B

QUESTION 8

Which trend analysis report would most accurately predict user count growth?

- A. numbers of active switch ports
- B. network-wide bandwidth utilization
- C. network-wide availability
- D. number of active WAN interfaces

Correct Answer: A

QUESTION 9

Your firewall currently allows port 6343 traffic to your network management system (NMS). What is the port most likely being used for?

- A. ICMP
- B. IP service level agreement (SLA)
- C. sFlow
- D. SMTP

Correct Answer: C

QUESTION 10

How does the Orion Universal Device Poller (UnDP) monitor a device's statistics that are Not included in the standard Orion NPM MIB database?

- A. by manually associating the device's OID to Orion
- B. by keeping a copy of the device's MIB on the Orion NPM Server
- C. by automatically searching the common MIB repositories and updating Orion
- D. by manually compiling the MIB into the Orion MIB database
- E. by manually compiling the OID into the Orion MIB database

Correct Answer: A

QUESTION 11

What can you determine from a packet capture that you CANNOT learn from NetFlow data?

- A. network traffic statistics
- B. router Telnet password
- C. client to server communication ports
- D. device up/down status

Correct Answer: B

QUESTION 12

Which two performance metrics can be affected by proper QoS implementation? (Choose two.)

- A. jitter
- B. shaping
- C. marking
- D. queuing
- E. latency

Correct Answer: AE

To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average **99.9%** Success Rate

More than **800,000** Satisfied Customers Worldwide

Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.