

Vendor: Tibco

Exam Code:TB0-121

**Exam Name:**TIBCO ActiveMatrix BPM Solution

Designer

Version: Demo

In which three ways can participants be defined in a User task? (Choose three.)

- A. Dynamically
- B. Round-robin
- C. Randomly
- D. Statically
- E. Using expressions

Correct Answer: ADE

#### **QUESTION 2**

A use case requires a business process to start when a client submits a completed online application form. If after completing the form, the client chooses not to continue, the data should be discarded and the business process should not be started.

Which two actions satisfy this requirement? (Choose two.)

- A. Gather the application data in a Pageflow
- B. Gather the application data in the first User task of the process
- C. Gather the application data in a bespoke form, then start the process via a service
- D. Gather the application data in a Process task, then cancel the process if the client cancels the form

Correct Answer: AC

## **QUESTION 3**

Which expression is valid for selecting the HealthSafety group resource?

- A. Group(name="HealthSafety")
- B. Name(Group="HealthSafety")
- C. Groupname("HealthSafety")
- D. HealthSafety(name="group")

Correct Answer: A


Which two statements are true about deploying Organization Models? (Choose two.)

- A. The major version number is only changed manually.
- B. Each minor version is treated as a complete and separate Organization Model.
- C. The major version number must be changed if the update is destructive.
- D. The minor version number is automatically incremented.

Correct Answer: BD

#### **QUESTION 5**

Click the Exhibit button.



The use case requires that a manager is notified when an activity misses a deadline. If the activity is completed before the manager opens the notification, the notification should be withdrawn from the work list. Which two configurations must be implemented to satisfy this requirement? (Choose two.)

- A. The Timer Event must be configured as Continue Task on Timeout,
- B. The Timer Event must be configured as Withdraw Task on Timeout
- C. The Throw Signal Event must have a unique Signal Name.
- D. The Catch Signal Event must have a unique Signal Name.

Correct Answer: AC

Which three are participant types? (Choose three	Which three are	participant types?	(Choose three.
--	-----------------	--------------------	----------------

- A. System
- B. Capability
- C. Position
- D. Organization Unit
- E. Role
- F. Group

Correct Answer: ADE

#### **QUESTION 7**

At what level can parameters be created?

- A. At the process level
- B. At the package level
- C. At the activity level
- D. At the property level

Correct Answer: A

## **QUESTION 8**

Which three gadgets are provided with Openspace? (Choose three.)

- A. Process Instances Measures
- B. Business Services Measures
- C. Spotfire
- D. Calendar
- E. Business Object Viewer

Correct Answer: ACD

#### **QUESTION 9**

To debug business processes, breakpoints are set that suspend the process flow execution.

What are the two valid breakpoints? (Choose two.)

- A. Add after
- B. Add before
- C. Add together
- D. Add one
- E. Add both

Correct Answer: CD

#### **QUESTION 10**

Which two statements are true about the Forms Preview tabs? (Choose two.)

- A. Data can be entered to see the effect on form behavior.
- B. Data cannot be entered to see the effect on form behavior.
- C. By default, only TIBCO General Interface environments are enabled.
- D. By default, only Google Web Toolkit environments are enabled.
- E. The appearance of the form is determined by settings that are configured on the form property sheets.

Correct Answer: AE

## **QUESTION 11**

The use case requires a service to be exposed to allow a process to be called as a business service.

Which Start Event type must be defined to allow the WSDL to be generated?

- A. Message
- B. Conditional
- C. Multiple
- D. Signal

Correct Answer: C

Which two statements are true about gateways and User tasks? (Choose two.)

- A. A User task can be used when interaction with a user via a form is required.
- B. A User task can have more than one associated Timer Catch Event.
- C. A gateway can be used when routing is based on process data.
- D. A gateway can be used for interaction with a user when a decision is required from the user.

Correct Answer: AC

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

## **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.